

INTRODUCING THE

AUTOMATIC INFINITY SAMPLE CUTTER

FOR PLASTICS, FILMS AND SIMILAR
MATERIALS

ENHANCED PRODUCTIVITY

UNIQUE DESIGN

CONSISTENT PERFORMANCE



VIVED MANAGEMENT, BELGIUM

KEY FEATURES



CUSTOMIZABLE SAMPLE SIZES:

- Cut samples of 10 mm, 15 mm, or 25 mm in a single operation. Upto 12 samples of 25mm in one cut.
- Users can pre-select the size before placing an order.

MAXIMUM SAMPLE WIDTH:

- The cutter supports a maximum sample width of 300mm, allowing for versatile cutting applications.

CONTINUOUS CUTTING MODE:

- The machine keeps cutting until the stop button is pressed, making it perfect for long sample requirements.

PRECISION & UNIFORMITY:

- Delivers clean, accurate cuts every time, reducing material waste and improving efficiency.

VERSATILE APPLICATION:


- Ideal for flexible films and similar materials, making it suitable for quality control, laboratory analysis, and industrial applications.

USER-FRIENDLY OPERATION:


- Simple controls and automated functionality minimize manual effort.

INDUSTRIAL-GRADE TIN


- TiN-coated (Titanium Nitride) blades for extended life, reduced friction & heat, superior cutting performance, and corrosion & wear resistance.





DIMENSIONS & DETAILS





top view open position




side view open position




front view open position




side view closed position



top view closed position



dimension "X" may vary: 15, 25 or 25.4 mm



front view closed position



Dimensions closed position (L x W x H):

508 x 290 x 139 mm

Dimensions open position (L x W x H):

508 x 348 x 363 mm

Netto weight:

10.7 kg

Adaptor:

Input voltage:

110/230 V universal

Output voltage:

24 V

Output power:

40 W

Output current:

1.67 A

Plug:

P1J

CONTACT US

VIVED MANAGEMENT, BELGIUM

 A.G. BELLSTRAAT 49, 3620 LANAKEN (BELGIUM)

 +32 476 862 442

 INFO@VIVED-MANAGEMENT.BE

 BTW BE 0533.770.115

